

ExxonMobil Lubricants & Specialties
3225 Gallows Road
Fairfax, VA 22037


© 2007 Exxon Mobil Corporation

The Mobil and ExxonMobil logotypes, Mobil SHC, Mobil Rarus SHC, Mobil DTE, Mobilgear, Mobil Delvac, Mobilith SHC, Mobil Pyrotec, Mobil Polyrex, Mobilube, Mobilgrease, and the Pegasus design are trademarks of Exxon Mobil Corporation or one of its subsidiaries. In this document, the term ExxonMobil is used for convenience only and may refer to Exxon Mobil Corporation or one of its affiliates. Nothing in this material is intended to override the corporate separateness of local entities.



Mobil Industrial
Lubricants

Proven performance for coal power
Lifting productivity off the charts



ExxonMobil

Printed in XXX-XXXX



Increase equipment reliability. Lower operating costs. Extend machine life.

With the wide range of advanced lubricants and expertise from Mobil,
more productivity = more output = more profit.



Increase your plant's productivity through enhanced reliability and uptime, with the help of Mobil industrial lubricants. Formulated to help you get the most out of your equipment, these high-performance lubricants are backed by over 100 years of industry experience and expertise in lubrication. And engineered not simply to make your operation run — but help it fly.

Get peak performance from a global leader in synthetic technology and advanced turbine oils.

Mobil Industrial Lubricants offers a wide range of specially formulated high-performance synthetic lubricants for your critical equipment needs, as well as premium turbine lubricants developed to protect your investment. These include:*

- **Mobil DTE 700 Series** mineral oils for steam turbines and nongearred gas turbines
- **Mobil SHC 600 Series** synthetic circulating oils for pumps and other high-temperature applications
- **Mobil Rarus SHC 1020 Series** synthetic oils for booster pumps and air compressors
- **Mobilith SHC Series** synthetic greases for generators, valves, and other high-temperature applications
- **Mobilgear SHC XMP Series** high-performance synthetic oil for gears
- **Mobil Pyrotec HFD 46** synthetic hydraulic fire-resistant governor fluid for turbines

Engineered to perform even in demanding conditions — including high temperature, heavy load, and water contamination — these lubricants and greases will help keep your coal-fired plants operating in top form.

*Since equipment and operating conditions vary, please refer to the equipment builder manual for final lubrication recommendations.

Supported by unsurpassed industry expertise.

Our highly experienced engineers work closely with customers and leading equipment builders for unique insights into their new technology and lubrication requirements. These insights then help guide our product development process. This gives our research scientists and lubricant formulators the ability to build leading-edge lubricants for the most demanding applications from the ground up — making them highly effective in the equipment they lubricate. Our knowledgeable Field Engineering Services (FES) team can offer you professional advice on sound lubrication practices, proper lubricant selection, equipment troubleshooting, and other lubrication services that will help you run your plant longer and in top condition.

Backed by extensive builder approvals and proven field performance.

Thoroughly tested before they are commercialized, Mobil industrial lubricants and greases are well supported by equipment builder approvals. For example, the Mobil SHC 600 Series, our top-of-the-line synthetic circulating oil, is recommended by 900 major equipment builders, who recognize its performance in areas such as reducing operating temperatures, reducing wear, and extending intervals between oil changes. And the new Mobil DTE 700 Series surpasses 19 industry and equipment builder specifications for gas and steam turbine oils.

continued on back page



How we help keep your coal power plant running better — longer.

Proven performance is the foundation of Mobil-branded products — each one formulated to offer outstanding equipment protection and long life. These are just a few of our high-performance series for your operation:

1 Coal Yard Vehicles

- Engine — Mobil Delvac 1300 Super • Transmissions — Mobiltrans HD • Hydraulics — Mobil Hydraulic 10W • Gearing — Mobilube HD • Grease — Mobilgrease XHP

2 Coal Handling / Conveyors

- Gear Drives — Mobilgear SHC XMP, Mobilgear SHC,* Mobil SHC 600 • Bearings/rollers — Mobilith SHC, Mobilgrease XHP • Electric Motors — Mobil Polyrex EM • Hydraulics (where applicable) — Mobil DTE 20, Mobil DTE 10M

3 Coal Pulverizers

- Electric Motors — Mobil Polyrex EM • Couplings — Mobilgrease XTC, MobilLUX EP 111 • Gearbox — Mobil SHC 600, Mobilgear SHC XMP • Bearings — Mobilith SHC, Mobilgrease XHP

4 Boiler / Rotary Grate

- Stoker Grate — Mobil SHC 007, Mobilgear SHC 2214M

5 Preheater

- Mobil SHC 600

6 Soot Blowers

- Gearbox — Mobil SHC 600, Mobilith SHC 007 • Bearings — Mobilith SHC

7 Turbine

- Turbine Reservoir — Mobil DTE 700 • Generator Bearings — Mobil DTE 700 • EHC System — Mobil Pynotec HFD 46

8 Steam Loop / Feed Water Pumps

- Pumps — Mobil DTE 700, Mobil SHC 600 • Electric Motors — Mobil SHC 600, Mobilith SHC, Mobil Polyrex EM, Mobil DTE 700

9 Cooling Towers


- Gear Drives — Mobil SHC 600 • Electric Motors — Mobil Polyrex EM

10 Backup Generators / Fire Water Pumps

- Diesel Engines — Mobil Delvac 1300 Super, Mobil Delvac 1600

11 Air Compressors

- Compressor — Mobil Rarus SHC 1020 (screw), Mobil Rarus 800 (reciprocating)



Miscellaneous (not shown)

- Forced Draft (FD) Fans — Mobil SHC 600
- Induced Draft (ID) Fans — Mobil SHC 600

*Not suitable for internally lubricated bearings.

Note: Technical and product recommendations are intended as a general guide only. Products listed are the product series names. Please refer to equipment labels/manuals for final lubrication recommendations or contact your Mobil industrial lubricants team for additional products. NOT TO SCALE.

© 2007 Exxon Mobil Corporation

The Mobil and ExxonMobil logos, Mobil SHC, Mobil Rarus SHC, Mobil DTE, Mobil Grease, Mobil Delvac, Mobiltrans HD, Mobil Hydraulic, Mobil Grease, Mobil Grease, Mobil Grease, and the Progress Design are trademarks of ExxonMobil Corporation or one of its subsidiaries. In this document, the term ExxonMobil is used for convenience only and may refer to ExxonMobil Corporation or one of its affiliates. Nothing is intended to describe the complete representation of this article.

Mobil Industrial Lubricants

A state-of-the-art used-oil analysis program.

To help you monitor lubricant and equipment condition and increase equipment reliability, Mobil Industrial Lubricants offers an oil analysis program specifically tailored to monitor critical indicators in used oil based on leading equipment builder specifications and international standards. This program is backed by our FES team that can train your personnel to run an effective used-oil analysis program and interpret analysis results.

Our innovative Turbine Commissioning Program makes your job easier.

This comprehensive service helps you prepare your turbine lubrication system and turbine oil for start-up, ensuring timely and reliable operation. To help you meet equipment builder requirements and to begin a comprehensive lubrication program at your new installation, we can offer product recommendations, turbine lubrication system and oil preparation, and additional post-commissioning integrated lubrication services.

OPTIONAL

So team up with Mobil Industrial Lubricants for continually advancing, standard-setting products and services. And take advantage of our leading-edge lubricant technology and unmatched global expertise to help you unleash the productivity of your coal-fired power plant.

For more information on these and other Mobil lubricants and services, call your local company representative or the Mobil technical help line at XXX-XXX-XXXX. Also visit our web site at www.mobilindustrial.com.

